

## IV Semester B.A./B.Sc. Examination, May/June 2018 (CBCS) (Fresh + Repeaters) (2015 – 16 and Onwards) (Semester Scheme) MATHEMATICS (Paper – IV)



Time: 3 Hours

Max. Marks: 70

Instruction: Answer all Parts.

PART - A

1. Answer any five questions.

 $(5 \times 2 = 10)$ 

- a) Define a normal subgroup.
- b) If f: G → G' is a homomorphism then prove that f(e) = e', where e and e' are the identity elements of G and G' respectively.
- c) Expand f(x) = x in half range cosine series over the interval  $(0, \pi)$ .
- d) Show that  $f(x, y) = x^3 + y^3 3xy + 1$  is minimum at (1, 1).
- e) If L[f(t)] = F(s), then show that  $L[e^{at} f(t)] = F(s a)$ .
- f) Find L[t sint].
- g) Solve:  $\frac{d^2y}{dx^2} 3\frac{dy}{dx} + 2y = 0$ .
- h) Prove that 'x' is a part of the complementary function of

$$x^{2} \frac{d^{2}y}{dx^{2}} - 2x(x+1)\frac{dy}{dx} + 2(x+1)y = x^{3}$$
.

PART – B

Answer one full question.

 $(1 \times 15 = 15)$ 

- 2. a) Prove that a subgroup H of a group G is normal subgroup of G iff  $g H g^{-1} = H$ ,  $\forall g \in G$ .
  - b) Define centre of a group and prove that the centre of a group G is a normal subgroup of G.
  - c) If  $f: G \to G'$  be a homorphism from the group G into G' with Kernal K, then prove that f is one-one iff  $K = \{e\}$ , where 'e' is the identity element in G.



- 3. a) Prove that the intersection of two normal subgroups of a group is a normal subgroup.
  - b) If G is a group and H is a subgroup of index 2 in G, then show that H is a normal subgroup of G.
  - c) State and prove Fundamental theorem of Homomorphism.

PART - C

Answer two full questions.

 $(2 \times 15 = 30)$ 

- 4. a) Find the Fourier expansion of  $f(x) = x x^2$  in (-1, 1).
  - b) Obtain half range sine series of  $f(x) = \sin x$ ,  $0 < x < \pi$ .
  - c) Expand  $x^2y + 3y 2$  in powers of (x 1) and (y + 2) by Taylor series upto  $3^{rd}$  degree terms.

OR

- 5. a) Find the Fourier series of  $f(x) = \begin{cases} x, & 0 \le x \le \pi \\ \pi x, & \pi \le x \le 2\pi \end{cases}$ .
  - b) Find the extreme values of the function  $f(x) = x^3y^2 (1 x y)$ .
  - c) Show that minimum value of  $x^2 + y^2 + z^2$  subjected to the condition  $\frac{1}{x} + \frac{1}{y} + \frac{1}{z} = 1$  is 27.
- 6. a) Find L[e<sup>t</sup> sin<sup>2</sup>t] and L[sinh<sup>2</sup> at].
  - b) Find L[f(t)] if  $f(t) = \begin{cases} 2t, & 0 \le t \le 5 \\ 1, & t > 5 \end{cases}$ .
  - c) Using Convolution theorem find  $L^{-1} \left[ \frac{1}{(s+2)(s+4)} \right]$ .

OR

- 7. a) Find:
  - i)  $L[t^3e^{-3t}]$ .
  - ii)  $L[e^{-t}(2\cos 5t 3\sin 5t)]$ .



- b) Find  $L^{-1} \left[ \frac{s^2}{(s-1)(s^2+1)} \right]$ .
- c) Find L[ $t^2$  u (t-3)] using convolution property.

## PART - D

Answer one full question.

 $(1 \times 15 = 15)$ 

- 8. a) Solve:  $(D^2 5D + 6) y = e^{4x} + \sin 2x$ .
  - b) Solve:  $4x^2y'' + 4xy' y = 4x^2$ .
  - c) Solve: xy'' (1 + x)y' + y = 0, given that (x + 1) is a part of complementary function.

OR

9. a) Solve: 
$$\frac{d^2y}{dx^2} + y = e^{-x} + 5x^2e^x$$
.

b) Solve: 
$$\frac{dx}{dt} = 3x - y$$
;  $\frac{dy}{dt} = x + y$ .

c) Solve:  $y'' + y = \tan x$  by the method of variation of parameters.